

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A61K 7/42</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 97/42933</b> <b>(43) International Publication Date:</b> 20 November 1997 (20.11.97)
<b>(21) International Application Number:</b> PCT/US97/07235 <b>(22) International Filing Date:</b> 1 May 1997 (01.05.97)  <b>(30) Priority Data:</b> 08/640,478 1 May 1996 (01.05.96) US  <b>(71) Applicant:</b> IGUANA, L.L.C. [US/US]; 2474 Magnolia Road, P.O. Box 1077, Thomasville, GA 31799 (US).  <b>(72) Inventor:</b> STEWART, Ernest, G.; 101 West Club Drive, Thomasville, GA 31792 (US).  <b>(74) Agent:</b> ASMAN, Sanford, J.; 570 Vinington Court, Dunwoody, GA 30350 (US).		<b>(81) Designated States:</b> AL, AU, BB, BG, BR, CA, CN, CZ, EE, GE, HU, IL, IS, JP, KP, KR, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, TR, TT, UA, UZ, VN, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> IMPROVED WATER RESISTANT SUNSCREEN AND INSECT REPELLENT COMPOSITION  <b>(57) Abstract</b>  An improved sunscreen protection and insect repellent combination composition having an SPF factor of about 2 to about 50 and further having an unexpected, unusually long efficacy period when used in rainy conditions or prolonged periods of high humidity, such as in a tropical or sub-tropical rain forest, or the like, and after the wearer has been underwater. The composition forms a stable emulsion lotion that is easy to store. No special precautions are required by the person who applies the lotion. The composition includes a sunscreen agent, an insect repellent, an emulsifying agent, and a film former, all in an aqueous solvent. The composition forms a thin film on the skin, but it is non-greasy to the touch. The lotion is easily removed by scrubbing with soap and water.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

**IMPROVED WATER RESISTANT SUNSCREEN AND  
INSECT REPELLENT COMPOSITION**

**Cross-Reference to Related Applications**

5           This is a Continuation-in-Part of Application Serial No. 08/154,584 filed  
November 18, 1993 which is a Continuation-in-Part of U.S. patent application Serial  
No. 07/904,514 filed June 25, 1992.

**Field of the Invention**

10           This invention relates to a synergistic sunscreen and insect repellent  
composition, and in particular to an improved water resistant combination sunscreen  
and insect repellent composition. The compound is non-greasy, pleasant smelling, and  
sweet tasting with an approximate SPF factor of 15. Although the compound is highly  
water resistant, it is easily removed with soap and water and scrubbing.

15

**Background of the Invention**

Insect borne diseases are a major non-battle injury threat to the military. Seven  
of the top eleven diseases that reduce military effectiveness are transmitted by insects.  
It is imperative for peak military operational efficiency that an acceptable insect  
20 repellent be produced to reduce the disease threat and to provide personal protection

from insect borne diseases. The insect repellent must also meet the unique requirements necessary for personal protection of the armed forces. When considering the broad spectrum of use, the repellent should be long lasting and acceptable to the user. Also, the military spends long periods of time outdoors and accordingly, an  
5 acceptable sunscreen and insect repellent combination for use by field military personnel is highly desirable, particularly if it is compatible with other military materials, such as clothing and weapons. In other words, the composition should not have a negative effect on uniforms or the use and operation of weapons.

The military services have not developed a satisfactory sunscreen insect  
10 repellent composition that meets their unique operating needs.

A second major need exists for people who live and work and play in the outdoors. They have protected themselves from insects for years by using insect repellents. Likewise, people who live and play and work outdoors have used suntan compounds to accelerate the darkening of the exposed skin. Only recently the  
15 knowledge that the sun's ultraviolet rays causes skin cancer has caused people to switch from suntan lotions to suncreening lotions that provide protection from the sun. Those lotions are measured on a scale of increasing protection from 1 to 50. The scale is called the Sun Protection Factor ("SPF"). The SPF value of a sunscreen allows

the consumer to determine the degree of sunburn protection that he or she is willing to accept for a given period of time in the direct exposure to the sun's ultraviolet rays.

Many civilian products have become commercially available in the recent past that combine sunscreen lotions and insect repellent lotions in one package. These  
5 products, for many reasons, are not completely satisfactory. Some of the reasons why they are not satisfactory are as set forth below.

First, the insect repellent compositions available are greasy, have a foul odor, and are usually effective only for short periods and require the person to continuously apply the lotion to maintain the desired degree of insect repellency on the skin. In  
10 many cases, as, for example, in a duck blind this is very inconvenient, because the person in the duck blind cannot repeatedly apply the insect repellent lotion while remaining perfectly motionless.

Second, many combination insect repellent and sunscreen compositions are easily removed with water. This is a particular problem in the summertime when the  
15 person sweats. The effectiveness of the insect repellent and sunscreen composition is dramatically reduced due to sweat removing the composition from the skin.

Third, most insect repellent compositions are oily and offensive to the olfactory system of the wearer as well as to those people who are around the wearer.

U.S. Patent No. 2,170,185, entitled "MENTHYL ANTHRANILATE AND PROCESS OF PREPARING SAME", issued on August 22, 1939 to M.S. Carpenter discloses a suntan cream having menthyl anthranilate which is a menthyl ester of anthranilic acid.

5 U.S. Patent No. 4,434,154, entitled "TANNING AND ULTRA-VIOLET SCREENING COMPOSITION HAVING HIGH STABILITY", issued on February 28, 1984 to J.E. McShane discloses a tanning and screening composition that is highly stable after prolonged storage. The composition is alleged to be useful, even after such prolonged storage, for shielding human skin from the harmful ultraviolet rays of the  
10 sun.

U.S. Patent No. 4,701,321, entitled "LIQUID DETERGENT WITH SUNSCREEN AGENT", issued on October 20, 1987 to J.E. Bernstein discloses a liquid detergent with a sunscreen agent selected from the aminobenzoic acid family, the other components of the composition being a preservative, a non-ionic detergent,  
15 an amphoteric detergent, or a mixture thereof in an aqueous vehicle.

U.S. Patent No. 4,820,508, entitled "SKIN PROTECTIVE COMPOSITION", issued on April 11, 1989 to M.S. Wortzman discloses a skin protective composition for topical application to protect human skin from infrared radiation. The composition contains titanium dioxide and mica or coated mica as its principal active reagents.

U.S. Patent No. 4,756,905, entitled "INSECT-REPELLENT CAMOUFLAGE COMPOSITION", issued on July 12, 1988 to J. Melnik discloses a composition for repelling insects and camouflaging the human skin. The insect repellent, N,N-diethyl-m-toluamide ("DEET"), and a camouflage pigment are combined along with an  
5 optional emulsifier to allow a single application to serve both the camouflage and insect repellent functions.

U.S. Patent No. 3,590,118, entitled "LONG LASTING INSECT REPELLENT FILMS FOR SKIN AND OTHER SUBSTRATES", issued on June 29, 1971 to J.A. Conrady, et al. discloses a long lasting insect repellent film for skin application. The  
10 active chemical agents are dissolved in interpolymers to provide a slow release system for the active chemical agents when spread and dried as a film on a human being. The coating can be applied by spraying or spreading and it is alleged to be easily removable with a soapy water solution.

U.S. Patent No. 3,821,363, entitled "SUNSCREEN PREPARATION  
15 EMPLOYING ETHYLENE-MALEIC ANHYDRIDE COPOLYMERS", issued on January 27, 1974 to A.S. Black, et al. discloses a gel of the acid of a cross-linked copolymer of ethylene-maleic anhydride that includes a sunscreen agent. The gel is alleged to be substantially free of any emulsifying agent.

U.S. Patent No. 2,435,005, entitled "SKIN PROTECTIVE OINTMENT", issued on January 27, 1948 to W.F. Huppke, et al. discloses a cream or ointment containing a film-former so that the cream or ointment forms a film on the wearer's skin. The cream or ointment may include an insect repellent or a sunscreen, or both.

5 Preferably, the film former is a mixture of ethyl cellulose and shellac.

U.S. Patent No. 2,853,423, entitled "AEROSOL SUN-SCREENING COMPOSITION", issued on September 23, 1958 to A.L. La Via discloses an aerosol composition alleged to be useful in protecting against sunburn.

U. S. Patent No. 4,477,467, entitled "INSECT REPELLENT", issued on  
10 October 16, 1984 to K. Nishizawa, et al. discloses the use of DEET in combination with certain proton acceptors for the purpose of inhibiting the absorption of DEET into the wearer's skin.

U.S. Patent No. 2,356,801, entitled "INSECT REPELLENT COMPOSITION", issued on August 29, 1994 to B.V. Travis, et al. discloses an insect repellent  
15 composition in which four insect repellent compounds are combined to improve the effectiveness of the composition.

None of these previous efforts, however, provides the benefits provided by the present invention. Additionally, the prior art does not teach or suggest the present inventive combination of component elements, as disclosed and claimed herein. The



present invention achieves its intended purposes, objectives and advantages over the prior art compositions through a new, useful and unobvious combination of component elements. The present invention is simple to use, it contains a minimum number of functioning ingredients, it has reasonable manufacturing, testing and packaging costs, and it uses only readily available materials.

In particular, the prior art does not teach a combination sunscreen and insect repellent composition that is a stable emulsion which, when on a wearer's skin, promotes waterproofing and maintains its SPF for protracted periods of time.

Although there have been many inventions related to sunscreen protection and insect repellent compositions, none of the prior art has provided an effective, low cost and reliable product which has achieved general use.

#### Summary of the Invention

The present invention meets the requirements of long lasting efficacy under extreme environmental conditions, low initial cost, and water resistance. Further, the composition is non-greasy, sweet tasting, easy to apply, and pleasing to the olfactory senses.

In brief, the invention is a sunscreen and insect repellent composition having an extremely long efficacy period when used in rainy conditions and prolonged periods of

high humidity, as in tropical and sub-tropical rain forests, even after the wearer has been under water. The composition includes a sunscreen agent present in an amount effective to provide an SPF of between about 2 and about 50, and preferably in the range of between about 15 and about 30. An insect repellent agent constitutes  
5 between about 7% to about 33% by weight of the composition. The composition further includes a plurality of ingredients contributing to the composition's synergistically long efficacy period. In particular, these ingredients are an emulsifying agent (for forming a stable emulsion) and a film forming agent (so that the composition forms a film when applied to a wearer's skin).

10           The composition forms a stable emulsion lotion that is easy to store. Proper application of the lotion requires little or no training or special precautions. When applied, a thin film is formed on the skin that is non-greasy to the touch and resists water, yet it is readily removed by scrubbing with soap and water.

          The resultant composition has an extremely long efficacy period even when  
15 subjected to extreme environmental conditions of high humidity, and even when the wearer goes under water. Further, the composition was tested exhaustively under strict laboratory and field conditions using the appropriate protocols that are approved by the U.S. Army Medical Material Development Activity and performed superior to any other product tested to date.

The foregoing has outlined rather broadly the more pertinent and important features of the present invention in order that the detailed description of the invention that follows may be better understood so that the present contribution to the art can be more fully appreciated. Additional features of the invention, described hereinafter, form the subject of the claims of the invention. It should be appreciated by those skilled in the art that the conception and the specific embodiments disclosed may be readily utilized as a basis for modifying or designing other compositions for carrying out the same purposes as the present invention. It should also be realized by those skilled in the art that such equivalent compositions do not depart from the spirit and scope of the invention as set forth in the appended claims.

#### **Detailed Description of the Preferred Embodiment**

The present invention is a stable emulsion composition that provides protection from the sun's ultraviolet rays while simultaneously acting as an insect repellent. The composition includes a sunscreen agent, an insect repellent agent, an emulsifying agent, and a film forming agent, all in an aqueous solvent. The composition can also include a thickener, at least one fragrance, and at least one sweetener.

In a preferred embodiment of the invention, the insect repellent agent is N,N-diethyl-m-toluamide ("DEET") present in an amount ranging from about 7% to about

33% by weight (wt%). Other insect repellents, such as citronella, can be used.

However, DEET is currently the most effective insect repellent compound which is known, and presently approved for such use. The amount of DEET in the composition preferably ranges from about 12 wt% to about 22 wt%. In the most preferred

5      embodiment, DEET comprises about 17 wt%.

The sunscreen agent should provide an SPF of from about 2 to about 50. A preferred embodiment of the invention provides an SPF of from about 15 to about 30.

It is also preferred that a sunscreen agent be used that provides protection from radiation from about 290 nm to 340 nm. In order to achieve this SPF in the presence  
10      of 12 wt% to 22 wt% DEET, in a preferred embodiment three sunscreens are used that have different absorption peaks. Octyl methoxycinnamate (ethylhexyl p-methoxycinnamate), a shorter ultraviolet ("UV") wavelength, or UV-B absorber, is used in an amount from about 2 wt% to about 8 wt%. Octyl salicylate, a UV-B absorber, is used in an amount from about 3 wt% to about 5 wt%. Oxybenzone  
15      (benzophenone-3), a longer UV wavelength, or UV-A absorber, is used in an amount from about 2 wt% to about 6 wt%. Other sunscreens can be used in the invention.

The type and the amount of sunscreen agent can vary depending upon the degree of protection desired. For example, the sunscreen agent may comprise a member of the group consisting of menthyl anthranilate, dioxybenzone, aminobenzoic acid, amyl

dimethyl PABA, diethanolamine p-methoxy cinnamate, ethyl 4-bis (hydroxypropyl) aminobenzoate, 2-ethylhexy 1 - 2 - cyano - 3,3 - diphenylacrylate, homomenthyl salicylate, glyceryl aminobenzoate, dihydroxyacetone, octyl dimethyl PABA, 2 - phenylbenzimidazole - 5 - sulfonic acid, triethanolamine salicylate, zinc oxide, and  
5 titanium oxide.

In a preferred embodiment of the invention, a combination of emulsifiers is used to achieve the desired result of a stable emulsion containing from about 7 wt% to about 33 wt% insect repellent and a sunscreen agent in an amount sufficient to provide an SPF from about 2 to about 50. An ethoxylated fatty acid ester such as polyethylene glycol stearate (40:1) (PEG 40 stearate), is used in an amount of from about 0.10 wt%  
10 to about 0.20 wt% or, preferably, about 0.15 wt%. This compound is a non-ionic oil and water emulsifier. An example of such a compound is MYRJ® 52S, distributed by ICI Americas, Inc. in Wilmington, Delaware. Primarily, MYRJ® 52S is known for its emulsification qualities and, typically, MYRJ® 52S is used for general skin  
15 formulations including facial lotions and skin moisturizers and the like. Any similar compound can be used in the present invention.

A hydrophobically modified acrylic acid co-polymer is added as an emulsifier in an amount of about 5 wt% to about 25 wt% or, preferably, about 15 wt%, of a 2% solution. An example of such a compound is PEMULEN® TR1, distributed by the

B.F. Goodrich Company in Akron, Ohio. This compound is more specifically an acrylic acid-stearyl methacrylate copolymer and it is known mainly for its emulsifying and stabilizing properties. Typically, PEMULEN® TR1 is used in perfumes, in hair glossing compositions, and in elegant skin care moisturizing compositions.

5           Other emulsifying agents can be used, such as, for example, AMPHISOL™ - diethanolamine cetyl phosphate - an anionic emulsifier; SEPIGEL™ - manufactured by Seppic Company, an acrylic acid polymer; KELTROL® T (2% solution), a natural gum thickener and emulsifier, distributed by Monsanto Company of St. Louis, Missouri; PROMULGEN® D, a non-ionic emulsifier distributed by Union Carbide  
10           Chemicals and Plastics Technology Corporation; and ARLACEL® 165, a non-ionic emulsifier distributed by ICI Americas, Inc. of Wilmington, Delaware.

          A CARBOPOL® is preferably added to the composition in an amount of about 2 wt% to about 10 wt%, or preferably, about 5 wt%, of a 2% solution to provide suspending, thickening, and stabilizing properties. CARBOPOL® is a trademark of  
15           B.F. Goodrich Company for a group of water soluble carboxy vinyl polymers. Another thickening agent that can be used is KELTROL® T (2% solution) a natural gum polysaccharide.

          A film former is added to the composition so that the composition forms a film when applied to the skin. The film former also adds waterproofing properties to the

composition. An example of an appropriate film former is poly(vinyl pyrrolidone/l-triacontene) (Tricontonyl PVP), added at about 3 wt%. This compound contributes film forming and water-proofing qualities to the composition. An example of such a compound is GANEX® WP 660, a film-forming waterproofing agent distributed by

5 GAF Chemicals Corporation. Primarily, it is used for high quality waterproofing sunscreen formulations. Other film formers known in the art can be used advantageously in the composition. These include acrylate copolymers, acrylate/octylacrylamide copolymers, acrylate/VA copolymer, amodimethicone, AMP/acrylate copolymers, behenyl beeswax, behenyl/isostearyl, beeswax, butylated

10 PVP, butyl ester of PVM/MA copolymers, calcium/sodium PVM/MA copolymers, dimethicone, dimethicone copolyol, dimethicone/mercaptopropyl methicone copolymer, dimethicone propylethylenediamine behenate, dimethicolnol ethylcellulose, ethylene/acrylic acid copolymer, ethylene/MA, copolymer, ethylene/VA copolymer, fluoro C2-8 alkyldimethicone, hexanediol beeswax,

15 hydrogenated styrene/butadiene copolymer, hydroxyethyl ethylcellulose, isobutylene/MA copolymer, laurylmethicone copolyol, methyl methacrylate crosspolymer, methylacryloyl ethyl betaine/acrylates copolymer, microcrystalline wax, nitrocellulose, octadecene/MA copolymer, octadecene/maleic anhydride copolymer, octylacrylamide/acrylate/butylaminoethyl methacrylate copolymer, oxidized

polyethylene, perfluoropolymethylisopropyl ether, polyacrylic acid, polyethylene,  
polymethyl methacrylate, polypropylene, polyquaternium-10, polyquaternium-11,  
polyquaternium-28, polyquaternium-4, PVM/MA decadiene crosspolymer, PVM/MA  
copolymer, PVP, PVP/decene copolymer, PVP/dicosene copolymer, PVP/hexadecene  
5 copolymer, PVP/MA copolymer, PVP/VA copolymer, silica, silica dimethyl silylate,  
sodium acrylate/vinyl alcohol copolymer, stearoxy dimethicone,  
stearoxytrimethylsilane, stearyl alcohol, stearylvinyl ether/MA copolymer,  
styrene/DVB copolymer, styrene/MA copolymer, tetramethyl tetraphenyl trisiloxane,  
tricontanyl trimethyl pentaphenyl trisiloxane, trimethylsiloxysilicate, VA/crotonates  
10 copolymer, VA/crotonates/vinyl propionate copolymer, VA/butyl maleate/isobornyl  
acrylate copolymer, vinyl caprolactam/PVP/dimethylaminoethyl methacrylate  
copolymer, and vinyl dimethicone.

The above ingredients are combined in an aqueous solvent, such as a mixture  
of water and propylene glycol. Other stabilizing ingredients, such as tetrasodium  
15 EDTA and cetearyl alcohol, are preferably added. Triethanolamine can be added as a  
stabilizer and to adjust the pH. Further, an emollient such as seamollient, vitamin E  
acetate, cyclomethicone silicon (DC 344), or the like can be added. A fragrance, a  
sweetener, and a preservative, such as GERMABEN® II, can also be added to the





composition. GERMABEN® II is a bactericide and fungicide distributed by GAF Chemicals Corporation.

The resulting composition produced in accordance with the present invention has the desired characteristics of providing a non-greasy, insect repellent and  
5 sunscreen composition with an appropriate SPF. The composition forms a lotion that is easy to store. Proper application of the lotion requires little or no training. No special precautions are required by the person who applies the lotion. Further, the resultant composition has the synergistic attribute of having an extremely long efficacy  
10 period when used in rainy conditions or prolonged periods of high humidity, such as the conditions found in tropical and sub-tropical rain forests or the like, or when the lotion is worn under water. The compound forms a thin, water resistant film on the skin. Yet it is readily removed by scrubbing with soap and water.

Compositions according to the following formulae were prepared.

15

EXAMPLE I

	<u>PHASE A</u>	<u>WEIGHT %</u>
20	Deionized Water	32.53
	Propylene Glycol	2.50
	CARBOPOL® 940 (2% Solution)	5.00
	PEMULEN TR1® (2% Solution)	15.00
	Seamollient	1.00
	Tetrasodium EDTA	0.10

PHASE B

5	N,N-diethyl-m-toluamide (DEET)	17.00
	Cetearyl Alcohol	3.50
	Octyl Methoxycinnamate (Neoheliopan AV)	7.50
	Octyl Salicylate (Neoheliopan OS)	5.00
	PEG 40 Stearate (MYRJ® 52S)	0.15
10	Oxybenzone	6.00
	Poly/vinyl pyrrolidone/1-triacontene)	
	GANEX® WP-660	3.00
	Vitamin E Acetate	0.25

PHASE C

15	Triethanolamine 99%	0.11
----	---------------------	------

PHASE D

20	Citronella Java	0.01
	Fragrance MF 3871	0.25

PHASE E

25	Sodium Saccharin	0.10
----	------------------	------

PHASE F

30	GERMABEN® II	1.00
----	--------------	------

The mixing is done in a conventional manner and the ingredients in each phase are mixed in the sequence described below. The choice of the particular material used dictates the mixing time and temperature change rates.

A water phase was prepared by mixing the water and propylene glycol and heating to 75°C with propeller agitation in a stainless steel kettle large enough to hold the entire batch. CARBOPOL® 940 and PEMULEN TRI® were slowly sifted into the mixture. Then, seamollient and disodium EDTA were added uniformly to form a  
5 first interim mixture. The first interim mixture was mixed while maintaining the temperature in the kettle at 75°C for 30 minutes.

Next, an oil phase was prepared by combining DEET, cetearyl alcohol, octyl methoxycinnamate, octyl salicylate, MYRJ® 52S, oxybenzone, GANEX® WP-660, and vitamin E acetate in a second initial mixture with slow agitation in a second  
10 stainless steel kettle and heated to 85°C. The ingredients in the second kettle were mixed for 30 minutes at 85°C. After 30 minutes, the second initial mixture in the second kettle was added to the interim mixture in the first kettle and a second interim mixture was formed. The second interim mixture was mixed for 30 minutes. Then, triethanolamine was added to the second interim mixture in the first kettle using a slow  
15 sidesweep agitation to produce a third interim mixture. The third interim mixture in the kettle was mixed for 30 minutes while maintaining the temperature at 75°C. Then, the third interim mixture in the kettle was cooled to 45°C while stirring slowly. Citronella, fragrance, saccharin and GERMABEN® II were then slowly added to the third interim mixture in the kettle to produce a resultant mixture.

The resultant mixture in the first kettle was mixed for 20 minutes to provide uniformity and then the resultant mixture was passed through a Gifford-Wood colloid mill with a narrow setting for providing a small particle size. The resultant mixture was recirculated in the first kettle until homogeneity was achieved.

5

### EXAMPLE 2

	<u>PHASE A</u>	<u>WEIGHT %</u>
10	Deionized Water	37.79
	Propylene Glycol	1.00
	CARBOPOL® 940 (2% Solution)	7.50
	PEMULEN TR1® (2% Solution)	7.50
	Seamollient	0.10
15	<u>PHASE B</u>	
	DEET	20.00
	Cetearyl Alcohol	2.00
20	Octyl Methoxycinnamate (Neoheliopan AV)	7.50
	Octyl Salicylate (Neoheliopan OS)	5.00
	Oxybenzone	6.00
	GANEX® WP-660	3.00
	Vitamin E Acetate	0.10
25	AMPHISOL™	1.75
	Citronella	0.01
	<u>PHASE C</u>	
30	Fragrance MF-3871	0.25

PHASE D

GERMABEN® II

1.00

5           The composition was prepared similar to Example 1. The ingredients of Phase A were combined and heated to 85°C. Phase B ingredients were heated to 90°C and held at that temperature for 20 minutes. Phase B was added to Phase A, the combined mixture was cooled to 45°C with high speed agitation, at which point the ingredients of Phases C and D were added. The pH of the final composition was 4.94.

10

EXAMPLE 3

	<u>PHASE A</u>	<u>WEIGHT %</u>
15	Deionized Water	44.79
	Propylene Glycol	1.00
	Seamollient	0.10
	<u>PHASE B</u>	
20	DEET	10.00
	Cetearyl Alcohol	2.00
	Menthyl Antranilate	5.00
	Octyl Methoxycinnamate (Neoheliopan AV)	7.50
25	Oxybenzone	3.00
	GANEX® V-220	1.50
	Vitamin E Acetate	0.10
	AMPHISOL™	1.75

30

	<u>PHASE C</u>	
	SEPIGEL 305™	2.00
5	<u>PHASE D</u>	
	Citronella	0.01
	<u>PHASE E</u>	
10	Fragrance MF-3871	0.25
	<u>PHASE F</u>	
15	GERMABEN® II	1.00
	<u>PHASE G</u>	
20	DEET Powder (CLI 7201/1)	20.00

Phase A ingredients were combined and heated to 85°C. Phase B ingredients were combined and heated to 90°C and held at that temperature, with stirring, for 20 minutes. Phase B was added to Phase A with high speed agitation. Phase C was added with high speed agitation. The mix was cooled to 45°C while stirring and phases D, E, and F were added with high speed agitation. Phase G was mixed in to homogeneity. The final pH was 6.2.

EXAMPLE 4

	<u>PHASE A</u>	<u>WEIGHT %</u>
5	Deionized Water	34.90
	KELTROL® T (2% solution)	15.00
	Propylene Glycol	1.00
	<u>PHASE B</u>	
10	DEET	30.00
	Cetearyl Alcohol	1.00
	Octyl Methoxycinnamate (ESCALOL 507)	8.00
	Oxybenzone	4.00
15	Vitamin E Acetate	0.10
	AMPHISOL™	1.50
	ARLACEL® 165	0.50
	<u>PHASE C</u>	
20	SEPIGEL 305	3.00
	<u>PHASE D</u>	
25	GERMABEN® II	1.00

Phase A ingredients were combined and heated to 85°C. Phase B ingredients were combined and heated to 90°C and held for 20 minutes with stirring. Phase B was added to Phase A with high speed agitation. Phase C was added with high speed agitation and the mix was cooled to 45°C while high speed agitation was maintained. Phase D was added and the mix homogenized. The final pH was 6.04.



**EXAMPLE 5**

	<b><u>PHASE A</u></b>	<b><u>WEIGHT %</u></b>
5	Deionized Water	44.90
	KELTROL® T (2% solution)	15.00
	Propylene Glycol	1.00
10	<b><u>PHASE B</u></b>	
	DEET	20.00
	Cetearyl Alcohol	1.00
	Octyl Methoxycinnamate (ESCALOL 507™)	8.00
15	Oxybenzone	4.00
	Vitamin E Acetate	0.10
	AMPHISOL™	1.50
	ARLACEL® 165	0.50
20	<b><u>PHASE C</u></b>	
	SEPIGEL 305™	3.00
	<b><u>PHASE D</u></b>	
25	GERMABEN® II	1.00

Phase A ingredients were combined and heated to 85°C. Phase B ingredients  
30 were combined and heated to 90°C and held for 20 minutes with stirring. Phase B was  
added to Phase A with high speed agitation. Phase C was added with high speed

agitation and the mix was cooled to 45°C while high speed agitation was maintained.

Phase D was added and the mix homogenized. The final pH was 6.24.

### Results

5           The compositions were evaluated under appropriate protocols for measuring  
the efficacy of sunscreen formulations and insect repellent formulations against  
mosquitoes. Cage tests were conducted at Walter Reed Army Hospital. Ten  
mosquitoes in each of seven cages were exposed to both a treated (0.1 ml composition)  
forearm and an untreated forearm of a human volunteer. The test was conducted for  
10 five minutes per cage unless three bites were received by the volunteer before the five  
minutes were up. The treated forearms received no bites in any of the tests while the  
untreated forearms received three bites in each of the tests. Then, the compositions  
were tested under strict field conditions using appropriate protocols that are approved  
by the U.S. Army Medical Material Development Activity. The field tests were  
15 conducted at the U.S. Army testing facilities in Alaska, Thailand, and South America.

Immersion tests were conducted to determine the waterproofing effectiveness  
of the compositions. Five test subjects were immersed in a whirlpool for a total of  
eighty (80) minutes. The initial SPF factor prior to immersion was 16.1. The

measurements were taken at 20 minute intervals on all 5 test subjects. The interim SPF factor and final SPF factor was 16.1 in all cases.

When a person applies the compositions outlined in the Examples to the exposed parts of the body, according to the method disclosed herewith, a thin film  
5 forms on the skin that provides a non-greasy, pleasant smelling insect repellent and a sweet tasting sunscreen protectant. The compositions have the unexpected property of having an extremely long efficacy period, even when subjected to extreme temperature and humidity, and even when the exposed body parts have been under water for extended periods of time. The synergistic result of combining the hydrophobically  
10 modified acrylic acid copolymer, ethoxylated fatty acid ester and film former in the quantities disclosed in the Examples, and preparing the compositions according to the steps disclosed herein provide the invention with unexpected superior insect repellent and sunscreen properties, which are superior to any which were previously known.

The combination of the ethoxylated fatty acid ester, hydrophobically modified  
15 acrylic acid copolymer, film former, oxybenzone and DEET would not normally be expected to form an emulsion when combined. However, by combining them in the ratios disclosed, a stable emulsion is formed. This emulsion when rubbed onto the skin "breaks down" as the hydrophobically modified acrylic acid copolymer is precipitated by the salt on the skin which breaks down the emulsion leaving an

insufficient amount of emulsifier on the skin to wash off when the wearer sweats or enters the water. Additionally, the film former combines with the DEET and the sunscreen to form a uniformly thick, waterproof sunscreen film. The increased thickness of the film allows for enhanced SPF performance since the optical path  
5 length of the UV radiation is increased and thus, the sunscreen absorbs the UV more efficiently.

The prior art does not reveal or even suggest a motivation for combining the above-cited ingredients. The inventor experimented with various compositions in order to develop the invention. It was only after numerous failed attempts that the  
10 invention was finally achieved.

The present disclosure includes that contained in the appended claims, as well as that of the foregoing description. Although this invention has been described in its preferred form with a certain degree of particularity, it is understood that the present disclosure of the preferred form has been made only by way of example, and that  
15 numerous changes in the details of compositions and the combination of individual ingredients may be resorted to without departing from the spirit or scope of the invention.

I Claim:

1. A waterproof sunscreen and insect repellent stable emulsion composition,  
comprising:
  - (a) a sunscreen agent present in an amount effective to provide an SPF of  
from about 2 to about 50;
  - 5 (b) an insect repellent agent present in an amount from about 7 wt% to  
about 33 wt%;
  - (c) a water based solvent;
  - (d) an emulsifying agent for forming a stable emulsion; and
  - (e) a film forming agent present in an amount effective to form a thin film
- 10 when the composition is applied to the skin of a person.
2. The composition of Claim 1, wherein said sunscreen agent is present in an  
amount effective to provide an SPF of from about 15 to about 30.

3. The composition of Claim 1, wherein said sunscreen agent comprises from about 2 wt% to about 8 wt% octyl methoxycinnamate, from about 3 wt% to about 5 wt% octyl salicylate, and from about 2 wt% to about 6 wt% oxybenzone.
4. The composition of Claim 1, wherein said insect repellent agent comprises DEET.
5. The composition of Claim 4, wherein said DEET is present in an amount from about 12 wt% to about 22 wt%.
6. The composition of Claim 4, wherein said insect repellent agent further comprises citronella.
7. The composition of Claim 1, wherein said emulsifying agent comprises an ethoxylated fatty acid ester and a hydrophobically modified acrylic acid copolymer.
8. The composition of Claim 7, wherein said ethoxylated fatty acid ester comprises a polyethylene glycol stearate.

9. The composition of Claim 7, wherein said hydrophobically modified acrylic acid copolymer comprises an acrylic acid-stearyl methacrylate copolymer.
10. The composition of Claim 1, wherein said film former comprises poly(vinyl pyrrolidone/l-triacontene) present in an amount from about 1 wt% to about 5 wt%.
11. The composition of Claim 1, further-comprising a thickening agent.
12. The composition of Claim 11, wherein said thickening agent comprises a carboxy vinyl polymer present in an amount of about 0.3 wt%.
13. A sunscreen and insect repellent composition prepared by a method comprising the steps of:
- (a) preparing a water phase comprising an aqueous solvent and a hydrophobically modified acrylic acid copolymer;
  - 5 (b) preparing an oil phase comprising an insect repellent agent, a sunscreen agent, an ethoxylated fatty acid ester, and a film former; and
  - (c) combining said oil phase with said water phase to form a stable emulsion.

14. A waterproof sunscreen and insect repellent composition for applying to the skin of a person, comprising:

(a) a sunscreen agent present in an amount effective to provide an SPF of from about 15 to about 30;

5 (b) DEET present in an amount of from about 12 wt% to about 22 wt%;

(c) a water based solvent;

(d) an emulsifying agent in an amount effective to form a stable emulsion;

and

(e) a film forming agent in an amount effective to form a thin film on the

10 skin of a person,

wherein the composition is waterproof and will remain on the skin and provide said SPF even after the skin of the person on whom the composition has been applied has been submerged under water for at least about one hour.

15. The composition of Claim 14, wherein said sunscreen agent comprises octyl methoxycinnamate, octyl salicylate, and oxybenzone.



16. The composition of Claim 14, wherein said film forming agent comprises poly(vinyl pyrrolidone/1-triacontene) present in an amount from about 1 wt% to about 5 wt%.
17. The composition of Claim 14, further comprising at least one thickening agent.
18. The composition of Claim 17, further comprising at least one fragrance, at least one emollient, at least one sweetener, and at least one preservative.

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US97/07235

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) : A61K 7/42

US CL : 424/59

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/59; 514/844

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US, A, 2,356,801 (TRAVIS et al.) 29 August 1944.	1-18
A	US, A, 2,435,005 (HUPPKE et al.) 27 January 1948.	1-18
A	US, A, 3,821,363 (BLACK et al.) 28 June 1974.	1-18
A	US, A, 2,170,185 (CARPENTER) 22 August 1939.	1-18
A	US, A, 4,268,498 (GEDEON et al.) 19 May 1981.	1-18

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X*	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y*	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A*	document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means		
*P* document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

27 AUGUST 1997

Date of mailing of the international search report

12 SEP 1997

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

MICHAEL A. WILLIAMSON

Telephone No. (703) 308-1235